

Date of Preparation: 9May2022 Version: 2.0

Section 1: IDENTIFICATION

Product Name: Calcium Chloride Brine 20-40%

Synonyms: Formula 35, Tiger 32

Product Use: Dust Control and Other industrial uses.

Restrictions on Use: Not available.

Manufacturer/Supplier: Tiger Calcium Services

603-15 Ave

Nisku, AB T9E 7M6

Phone Number: 780-849-3114

Emergency Phone: Canutec: 613-996-6666

Date of Preparation of SDS: May 13, 2019

Section 2: HAZARD(S) IDENTIFICATION

GHS INFORMATION

SAFETY DATA SHEET

Classification: Eye Irritation, Category 2A

LABEL ELEMENTS

Hazard

Pictogram(s):

Signal Word:

Warning

-

Hazard Causes serious eye irritation.

Statements:

Precautionary Statements

Prevention: Wash thoroughly after handling.

Wear protective gloves, protective clothing and eye protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Not applicable.

Disposal: Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is considered hazardous by the Hazardous Products Regulations.



SAFETY DATA SHEET

Calcium Chloride Brine 20-40% (Formula 35 and Tiger 32)

Date of Preparation: 9May2022 Version: 2.0

	Version: 2.0

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS						
Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.			
Calcium chloride (CaCl2)	Not available.	10043-52-4	20 - 40			
Sodium chloride (NaCl)	Not available.	7647-14-5	1 - 6			
Magnesium chloride (MgCl2)	Not available.	7786-30-3	0.05 - 5			
Potassium chloride (KCI)	Not available.	7447-40-7	1 - 3			

Section 4: FIRST-AID MEASURES

Inhalation: If inhaled: Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation.

Signs/symptoms may include cough, sneezing, nasal discharge,

headache, hoarseness, and nose and throat pain.

Eye Contact: If in eyes: Rinse cautiously with water for at least 20 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred

or hazy vision.

Skin Contact: If on skin: Wash with plenty of water. Call a poison center or doctor if you

feel unwell.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion: If swallowed: Call a poison center or doctor if you feel unwell. If vomiting

occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Since Magnesium salts are slowly absorbed, abdominal pain, vomiting and diarrhea may be the only

symptoms. However, if elimination is blocked by bowel blockage or other reasons, CNS depression, lack of reflexes and hypocalcemia (deficiency

of calcium in the blood) may occur.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible).

Note to Physicians: Symptoms may not appear immediately. Oral ingestion of Calcium

chloride may cause serum acidosis. In case of Magnesium chloride ingestion, IV administration of Calcium gluconate will partially reverse the effects of acute Magnesium toxicity. Ventricular support with Calcium chloride infusion and Mannitol forced diuresis has also been successful.



Date of Preparation: 9May2022 Version: 2.0

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: This material is not sensitive to mechanical impact. **Sensitivity to Static Discharge**: This material is not sensitive to static discharge.

MEANS OF EXTINCTION

SAFETY DATA SHEET

Suitable Extinguishing Media: Small Fire: Dry chemical, CO2, water spray or regular foam.

Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: Sodium oxide. Hydrogen chloride. Hydrochloric acid.

Oxychlorides. Chlorine. Potassium oxide. Hydrogen chloride.

Protection of Firefighters: Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Keep unauthorized personnel away. Stay upwind. Keep out of low

areas. Ventilate closed spaces before entering. ELIMINATE all

ignition sources (no smoking, flares, sparks or flames in

immediate area).

Personal Precautions: Do not touch or walk through spilled material. Use personal

protection recommended in Section 8.

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways.

Methods for Containment: Stop leak if without risk. Do not flush to sewer or allow to enter

waterways.

Methods for Clean-Up: Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Other Information: See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Wash thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.



Date of Preparation: 9May2022 Version: 2.0

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Calcium chloride [CAS No. 10043-52-4]

ACGIH: No TLV established. OSHA: No PEL established.

Sodium chloride [CAS No. 7647-14-5]

ACGIH: No TLV established. OSHA: No PEL established.

Magnesium chloride [CAS No. 7786-30-3]

ACGIH: No TLV established. **OSHA:** No PEL established.

Potassium chloride [CAS No. 7447-40-7]

ACGIH: No TLV established. OSHA: No PEL established.

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)









Eye/Face Protection: Wear chemical safety goggles. Ensure that eyewash

> stations are close to the workstation location. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in

29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection: Wear protective gloves. Consult manufacturer specifications

for further information.

Skin and Body Protection: Wear protective clothing.

Respiratory Protection: Not required under normal use conditions.

General Hygiene Considerations: Handle according to established industrial hygiene and

> safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to

ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to slightly turbid liquid.



Date of Preparation: 9May2022 Version: 2.0

Colour: Colourless to lightly brown.

Odour: Odourless. **Odour Threshold:** Not available.

Physical State: Liquid.

pH: 2.5 to 8.5

Melting Point / Freezing

SAFETY DATA SHEET

Point:

Not available.

Initial Boiling Point: 120 °C (248 °F)

Boiling Range: 120 to 140 °C (248 to 284 °F)

Flash Point: Not available. **Evaporation Rate:** Not available. Flammability (solid, gas): Not applicable. **Lower Flammability Limit:** Not available. **Upper Flammability Limit:** Not available.

Vapor Pressure: 7 to 15 mmHg at 25 °C (77 °F)

Vapor Density: Not available.

Relative Density: 1.27 to 1.39 (Water = 1) at 25 °C (77 °F)

Solubilities: Completely miscible in water.

Partition Coefficient: n-

Octanol/Water:

Not available.

Auto-ignition Temperature: Not available. **Decomposition** Not available.

Temperature:

Not available.

Viscosity: Percent Volatile, wt. %: Not available. VOC content, wt. %: Not available. Density: Not available.

Coefficient of Water/Oil

Distribution:

Not available.

Section 10: STABILITY AND REACTIVITY

Reactivity: Contact with incompatible materials. Exposure to heat.

Chemical Stability: Stable under normal storage conditions.

Possibility of Hazardous

Reactions:

Calcium chloride may form hydrogen chloride in presence of sulphuric or phosphoric acids.

Conditions to Avoid:

Contact with incompatible materials. Exposure to heat.



Date of Preparation: 9May2022 Version: 2.0

Incompatible Materials: Strong acids. Strong oxidizers.

Hazardous Decomposition Products: Not available.

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

SAFETY DATA SHEET

Oral: Not available.

Dermal: Not available.

Inhalation: Not available.

Component Toxicity

Component CAS No. LD₅₀ oral LD50 dermal LC₅₀ Calcium chloride 10043-52-4 1000 mg/kg (rat) Not available. Not available. Sodium chloride 7647-14-5 3000 mg/kg (rat) > 10000 mg/kg $> 42000 \text{ mg/m}^3$ (rabbit) (rat); 1H Not available. 2800 mg/kg (rat) Not available. Magnesium chloride 7786-30-3 Potassium chloride 7447-40-7 2600 mg/kg (rat) Not available. Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion. Skin absorption.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing,

nasal discharge, headache, hoarseness, and nose and throat pain.

Eye: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain,

tearing, and blurred or hazy vision.

Skin: May cause skin irritation. Signs/symptoms may include localized redness, swelling,

and itching.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain,

stomach upset, nausea, vomiting and diarrhea. Since Magnesium salts are slowly absorbed, abdominal pain, vomiting and diarrhea may be the only symptoms. However, if elimination is blocked by bowel blockage or other reasons, CNS depression, lack of reflexes and hypocalcemia (deficiency of calcium in the blood)

may occur.

Skin Sensitization: Not available.

Respiratory Sensitization: Not available.

Medical Conditions Not available.

Aggravated By Exposure:

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.



Date of Preparation: 9May2022 Version: 2.0

Carcinogenicity: This product does not contain any carcinogens or potential

carcinogens above reportable thresholds as listed by ACGIH, IARC,

OSHA, or NTP.

Mutagenicity: Not available.

Reproductive Effects: Not available.

Developmental Effects

SAFETY DATA SHEET

Teratogenicity: Not available. **Embryotoxicity:** Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not available.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Other Adverse Effects: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Disposal should be in accordance with applicable regional, national

and local laws and regulations. Local regulations may be more

stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.

Canada Transportation of Dangerous Goods (TDG)

Proper Shipping Name:

Class:

Not applicable.

UN Number:

Packing Group:

Label Code:

Not applicable.

Not applicable.

Not applicable.

Section 15: REGULATORY INFORMATION

Chemical Inventories

US (TSCA)



Date of Preparation: 9May2022 Version: 2.0

SAFETY DATA SHEET

The components of this product are in compliance with the chemical notification requirements of TSCA.

Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

No components are listed.

State Regulations

Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323) No components are listed.

California

California Prop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.



SAFETY DATA SHEET

Calcium Chloride Brine 20-40% (Formula 35 and Tiger 32) Date of Preparation: 9May2022 Version: 2.0

Version	Order of Revisions	Date	Author(s)
1.0	Document was created	13May2019	Deerfoot Consulting Inc. 403-720-3700
2.0	Reviewed	9May2022	L. McIlveen (Tiger Calcium) 780-955-5004